


PANAPACIFIC®

# CORE PARTS CATALOG



# AFTERMARKET SALES MAP



**KELLEN LIDSTONE**  
REGIONAL SALES MANAGER  
(289) 241-0352  
KLIDSTONE@PANAPACIFIC.COM  
CANADA

**JEFFREY JONES**  
REGIONAL SALES MANAGER  
(559) 341-0305  
JJONES@PANAPACIFIC.COM  
IA, IL, MN, MT, ND, NE, SD, WI, WY

**MARK EVANS**  
REGIONAL SALES MANAGER  
(559) 341-4486  
MEVANS@PANAPACIFIC.COM  
CT, DE, IN, MA, ME, MI, NH, NJ, NY, OH, PA, RI, VT

**SHRIDAR AYER**  
REGIONAL SALES MANAGER  
(310) 904-9771  
SAYER@PANAPACIFIC.COM  
AK, AZ, CA, HI, ID, NV, OR, UT, WA

**RYAN MONTGOMERY**  
REGIONAL SALES MANAGER  
(559) 970-0275  
RMONTGOMERY@PANAPACIFIC.COM  
CO, KS, MO, NM, OK, TX

**DAN O'DELL**  
REGIONAL SALES MANAGER  
(559) 977-1398  
DODELL@PANAPACIFIC.COM  
AL, AR, FL, GA, KY, LA, MD, MS, NC, SC, TN, VA, WV

**HALL FESS**, VP OF AFTERMARKET SALES  
(559) 939-2143 ■ HFESS@PANAPACIFIC.COM

**RICK RUSSELL**, AFTERMARKET SALES DIRECTOR  
(615) 319-7088 ■ RRUSSELL@PANAPACIFIC.COM

**RADOS**

Aptiv .....	4
Mack .....	8
Volvo .....	9
Freightliner .....	10
ProAudio .....	11

**CB RADIOS**

Cobra .....	13
Uniden .....	15

**CB ANTENNAS**

Driver Extreme .....	17
Everhardt .....	18
ProStick .....	18

**POWER INVERTERS**

Cobra .....	19
Samlex .....	20

**REFRIGERATORS**

Dometic .....	22
Vitrifrigo .....	24

**BLUETOOTH HEADSETS .....** 26**DEVICE MOUNTS .....** 27**SOLAR .....** 30**CAMERA SYSTEMS .....** 32**TIRE PRESSURE MONITORING SYSTEMS .....** 33**APPLICATION GUIDES .....** 34

## COMMON FEATURES FOR ALL HEAVY-DUTY APTIV RADIOS



**HEAVY DUTY DESIGN** — Made for a commercial vehicle driver by having larger buttons and a heavy-duty construction for tougher environments.

**SAE J1455 COMPLIANT** — Meets all the test standards for reliability of an electronic component in a commercial vehicle.



**WEATHER BAND (WB)** — Offers National Weather Radio Broadcasts from over 1,025 locations throughout the U.S. on seven VHF/FM frequencies free-of-charge to provide continuous weather information 24 hours a day.  
Range: 162.400 MHz - 162.550 MHz



**ISO CONNECTOR** — Allows the radio to connect directly to the vehicle's harness; no additional harness is required — no cutting, no separate accessories to purchase for all commercial vehicles manufactured with the ISO connect harness.



**FRONT AUX INPUT (MUSIC PORT)** — Easy access to plug in a smart device and enjoy your digital music library through the vehicle's speakers.



**REAR AUX INPUT** — Provides an auxiliary terminal for permanent hard wire to the rear side of the radio.



**SAE J1939 COMPLIANT** — Allows the different vehicle components that run on the communication bus system to talk to each other; compatible with most digital steering wheel / rear-sleeper controls.



**QUARTZ ALARM CLOCK** — Convenient, built-in quartz alarm clock with one hour timer.



**OUTPUT POWER** — 18 W x 4 Channels  
18 W x 2 Channels (24 Volt Radios)



**SOUND QUALITY (EQ) FUNCTION** — Select the sound type (Pop, Rock, Country, News, Jazz, Classical or Manual) to improve the dynamic range.

### SEPARATE BASS, MID, TREBLE, BALANCE AND FADER CONTROL

### 6 AM / 12 FM RADIO PRESET BUTTONS

### AUTO STORE MEMORY



**AUTO BAUDRATE** — Capable of auto detecting the correct CAN bus baud rate to use at power up; the possible baud rate is 250K or 500K.



**MECHLESS** — No Compact Disc (CD) player



**SHALLOW CHASSIS** — 86.5 mm in depth



**VF DOT MATRIX DISPLAY** — Three line display that maximizes the viewing area on the front of the radios. This allows for more information on the screen and minimizes the need to scroll.



**WHITE FAKRA AM/FM ANTENNA CONNECTOR** — Robust locking mechanism, small form factor with high speed capability which allows for better cable management.



**MOTOROLA TO FAKRA ADAPTER CABLE** — AM/FM Radio Antenna Adapter Fakra Jack code B to Motorola DIN socket Connector six-inch cable. Adapter cable included with each APTIV radio model until OEM truck manufacturers change wiring from Motorola to FAKRA

**NOTE:** For older model single-din radios (Alpine, Delphi, or Panasonic), please contact Customer Service for information on harness connector pin-out.



PP107198

### APTIV HEAVY-DUTY AM / FM RADIO WITH WEATHER BAND

- Back-Lit Display Lighting – **GREEN**
- PA Function – PA Microphone & Cable **Sold Separately**



PP107199

### APTIV HEAVY-DUTY AM / FM / WB RADIO WITH FRONT PANEL USB PORT

- Back-Lit Display Lighting – **GREEN**
- PA Function – PA Microphone & Cable **Sold Separately**
- Front Panel USB Port



PP107200

### APTIV HEAVY-DUTY AM / FM / WB RADIO WITH FRONT PANEL USB PORT & BLUETOOTH

- Back-Lit Display Lighting – **GREEN**
- PA Function – PA Microphone & Cable **Sold Separately**
- Front Panel USB Port
- Built-In Bluetooth



BUNDLED VALUE

PP807215

### APTIV PP107200 RADIO + BLUETOOTH MIC

- Back-Lit Display Lighting – **GREEN**
- PA Function – PA Microphone & Cable **Sold Separately**
- Front Panel USB Port
- Built-In Bluetooth

**NOTE:** For older model single-din radios (Alpine, Delphi, or Panasonic), please contact Customer Service for information on harness connector pin-out.



**Bluetooth® SiriusXM**

PP107201

**APTIV HEAVY-DUTY AM / FM / WB RADIO WITH FRONT PANEL USB PORT, BLUETOOTH & INTEGRATED SIRIUSXM SATELLITE RADIO**

- Back-Lit Display Lighting – **GREEN** or **AMBER**
- 30 Day Clock Memory
- Front Panel USB Port
- Built-In Bluetooth
- Integrated SiriusXM Satellite Radio



**Bluetooth® SiriusXM**

**BUNDLED VALUE**

PP807216

**APTIV PP107201 RADIO + BLUETOOTH MIC**

- Back-Lit Display Lighting – **GREEN** or **AMBER**
- 30 Day Clock Memory
- Front Panel USB Port
- Built-In Bluetooth
- Integrated SiriusXM Satellite Radio



**Bluetooth® SiriusXM**

**BUNDLED VALUE**

PP807155

**APTIV PP107201 RADIO + BLUETOOTH MIC + SATELLITE RADIO ANTENNA**

- Back-Lit Display Lighting – **GREEN** or **AMBER**
- 30 Day Clock Memory
- Front Panel USB Port
- Built-In Bluetooth
- Integrated SiriusXM Satellite Radio



**SiriusXM**

PP107202

**APTIV HEAVY-DUTY AM / FM / WB RADIO WITH FRONT PANEL USB PORT & INTEGRATED SIRIUSXM SATELLITE RADIO**

- Back-Lit Display Lighting – **GREEN** or **AMBER**
- 30 Day Clock Memory
- Front Panel USB Port
- Integrated SiriusXM Satellite Radio

**NOTE:** For older model single-din radios (Alpine, Delphi, or Panasonic), please contact Customer Service for information on harness connector pin-out.



PP107247

### APTIV HEAVY-DUTY AM / FM / WB RADIO WITH FRONT PANEL USB PORT, BLUETOOTH & INTEGRATED SIRIUSXM SATELLITE RADIO

- Back-Lit Display Lighting – **RED** or **BLUE**
- 30 Day Clock Memory
- Front Panel USB Port
- Built-In Bluetooth
- Integrated SiriusXM Satellite Radio

## Join the SiriusXM Fleet Program for Rates Starting at **\$5/Month!**

FLEET SIZE SUBSCRIBED	MUSIC & ENTERTAINMENT		PLATINUM		ACTIVATION FEE
	MONTHLY SUBSCRIPTION FEE	MONTHLY ROYALTY FEES	MONTHLY SUBSCRIPTION FEE	MONTHLY ROYALTY FEES	
<b>RETAIL RATES</b>	<b>\$17.99</b>	<b>\$3.85</b>	<b>\$22.99</b>	<b>\$4.92</b>	<b>\$15.00</b>
5 – 10 TRUCKS	\$4.99	\$1.07	\$7.99	\$1.71	\$0.00
11 – 499 TRUCKS	\$4.75	\$1.02	\$7.75	\$1.66	\$0.00
500 – 1,999 TRUCKS	\$4.50	\$0.96	\$7.50	\$1.60	\$0.00
2,000 & UP TRUCKS	\$3.99	\$0.85	\$6.99	\$1.50	\$0.00

- Ad-free music in all genres and decades
- Access to Road Dog Trucking Radio, the only channel exclusively for truckers 24/7
- Artist-curated music channels
- News and politics from every angle
- Celebrity-hosted talk and comedy

- Unparalleled sports talk and analysis
- Live NASCAR and PGA TOUR
- Live NBA, NFL, NHL and MLB games
- Personalized Pandora stations
- Original and popular podcast series
- Exclusive SiriusXM in studio video

**NOTE:** Aptiv Mack radios are for use only in Mack trucks and are compatible with Mack software. A specific adaptor harness may be required based on truck application. Mack trucks built after 8/15/14 will not require an adaptor harness.



PP107222

### APTIV HEAVY-DUTY AM / FM RADIO WITH WEATHER BAND

- Back-Lit Display Lighting – **BLUE**
- PA Function – PA Microphone & Cable **Sold Separately**



Made for iPhone | iPod

Bluetooth®

PP107223

### APTIV HEAVY-DUTY AM / FM / WB RADIO WITH FRONT PANEL USB PORT & BLUETOOTH

- Back-Lit Display Lighting – **BLUE**
- PA Function – PA Microphone & Cable **Sold Separately**
- Front Panel USB Port
- Built-In Bluetooth



Made for iPhone | iPod

Bluetooth® SiriusXM

PP107224

### APTIV HEAVY-DUTY AM / FM / WB RADIO WITH FRONT PANEL USB PORT, BLUETOOTH & INTEGRATED SIRIUSXM SATELLITE RADIO

- Back-Lit Display Lighting – **BLUE**
- Front Panel USB Port
- Built-In Bluetooth
- Integrated SiriusXM Satellite Radio

**BUNDLED VALUE**


Made for iPhone | iPod

Bluetooth® SiriusXM

PP807160

### APTIV PP107224 RADIO + BLUETOOTH MIC + SATELLITE RADIO ANTENNA

- Back-Lit Display Lighting – **BLUE**
- 30 Day Clock Memory
- Front Panel USB Port
- Built-In Bluetooth
- Integrated SiriusXM Satellite Radio

**NOTE:** Aptiv Volvo radios are for use only in Volvo trucks and are compatible with Volvo LECM. A specific adaptor harness may be required based on truck application. Volvo trucks built after 11/10/14 will not require an adaptor harness.



PP107228

### APTIV HEAVY-DUTY AM / FM RADIO WITH WEATHER BAND

- Back-Lit Display Lighting – **GREENISH-WHITE**
- PA Function – PA Microphone & Cable Sold Separately



Made for iPhone | iPod

Bluetooth®

PP107229

### APTIV HEAVY-DUTY AM / FM / WB RADIO WITH FRONT PANEL USB PORT & BLUETOOTH

- Back-Lit Display Lighting – **GREENISH-WHITE**
- PA Function – PA Microphone & Cable **Sold Separately**
- Front Panel USB Port
- Built-In Bluetooth



Made for iPhone | iPod

Bluetooth® SiriusXM

PP107230

### APTIV HEAVY-DUTY AM / FM / WB RADIO WITH FRONT PANEL USB PORT, BLUETOOTH & INTEGRATED SIRIUSXM SATELLITE RADIO

- Back-Lit Display Lighting – **GREENISH-WHITE**
- Front Panel USB Port
- Built-In Bluetooth
- Integrated SiriusXM Satellite Radio



BUNDLED VALUE

PP807162

### APTIV PP107230 RADIO + BLUETOOTH MIC + SATELLITE RADIO ANTENNA

- Back-Lit Display Lighting – **GREENISH-WHITE**
- 30 Day Clock Memory
- Front Panel USB Port
- Built-In Bluetooth
- Integrated SiriusXM Satellite Radio



Made for iPhone | iPod

Bluetooth® SiriusXM

**NOTE:** Aptiv Freightliner radios are for use only in the new Cascadia truck models built from 2017 and newer. Trucks built without a factory installed radio will need to have a dealer turn on the necessary parameters. For older model Freightliner trucks, the standard Aptiv radio models are recommended.



**PP107216**  
**APTIV HEAVY-DUTY AM / FM RADIO WITH WEATHER BAND**

- Back-Lit Display Lighting – **AMBER**
- 30 Day Clock Memory
- PA Function – PA Microphone & Cable **Sold Separately**



**PP107217**  
**APTIV HEAVY-DUTY AM / FM / WB RADIO WITH FRONT PANEL USB PORT & BLUETOOTH**

- Back-Lit Display Lighting – **AMBER**
- 30 Day Clock Memory
- PA Function – PA Microphone & Cable **Sold Separately**
- Front Panel USB Port
- Built-In Bluetooth



**PP107221**  
**APTIV HEAVY-DUTY AM / FM / WB RADIO WITH FRONT PANEL USB PORT, BLUETOOTH & INTEGRATED SIRIUSXM SATELLITE RADIO**

- Back-Lit Display Lighting – **AMBER**
- 30 Day Clock Memory
- Front Panel USB Port
- Built-In Bluetooth
- Integrated SiriusXM Satellite Radio



**BUNDLED VALUE**

**PP807159**  
**APTIV PP107221 RADIO + BLUETOOTH MIC + SATELLITE RADIO ANTENNA**

- Back-Lit Display Lighting – **AMBER**
- 30 Day Clock Memory
- Front Panel USB Port
- Built-In Bluetooth
- Integrated SiriusXM Satellite Radio



PP107233

### PROAUDIO AM / FM RADIO WITH FRONT PANEL USB PORT — INCLUDES REMOTE CONTROL

- Heavy-Duty Design for Harsh Environments
- Front Auxiliary Input
- Front Panel USB Port
- Reverse Voltage and Over Voltage Protection
- CD with Playback of MP3 / WMA / WAV / FLAC Files



PP107234

### PROAUDIO AM / FM RADIO WITH FRONT PANEL USB PORT & BLUETOOTH

- Heavy-Duty Design for Harsh Environments
- Front Auxiliary Input
- Front Panel USB Port
- Reverse Voltage and Over Voltage Protection
- CD with Playback of MP3 / WMA / WAV / FLAC Files
- Built-In Bluetooth — **Bluetooth Microphone Included**


 BUNDLED VALUE

PP107236

### PROAUDIO PP107234 RADIO + HINO RADIO HARNESS

- Heavy-Duty Design for Harsh Environments
- Front Auxiliary Input
- Front Panel USB Port
- Reverse Voltage and Over Voltage Protection
- CD with Playback of MP3 / WMA / WAV / FLAC Files
- Built-In Bluetooth — **Bluetooth Microphone Included**

# RADIO ACCESSORIES



## SXVRDBT1 SIRIUSXM ROAD DOG BT VEHICLE SATELLITE RADIO

- Rewind & Replay Live Radio
- Magnetic Mounting Options
- Bluetooth Compatible
- Single Wire Connection
- 20 Channel Presets
- Day / Night Settings



## SRTMM-02 INTEROPERABLE MIRROR-MOUNT SATELLITE RADIO ANTENNA

- Interoperable – Certified for use with SiriusXM receivers
- Waterproof and Magnetic – Can be installed on outside
- Receiving Frequency – 2.3GHz
- Mirror-Mount Design
- 14-Foot RG-174 Cable
- Durable, Light Weight and Sleek



## PP604240 PEIKER BLUETOOTH MICROPHONE KIT

- Works with Bluetooth feature of select radios
- Designed to be secured to a surface by use of double sided adhesive tape and is 3/4" wide by 1-5/8" tall; it does not need any sort of hole in the instrument panel
- 7.5' cable with connector that plugs into the back of the radio



## PANASONIC Two-Way Audio Speakers

- Sold in Pairs with Grills, Wire and Hardware
- Coaxial Speakers Accurately Reproduce Full Range Sound

**4" SPEAKERS**  
**5-1/4" SPEAKERS**  
**6-1/2" SPEAKERS**

CJA1023  
CJA1323  
CJA1623

**NOTE:** Now with FM capabilities, Cobra's CB radios produce better sound quality without needing to replace an existing antenna. In addition, the new AM/FM CB radios are backwards compatible to be able to communicate with older AM-only CB radios.



CCBP29LT01

### COBRA 29 LTD CLASSIC — PROFESSIONAL AM / FM CB RADIO

- Dual-Mode AM / FM
- 40 CB Channels / 4 Watts Power
- Instant Channel 9 for Emergencies
- Dynamic® Microphone Level Control
- Switchable Noise Blanker and Limiter
- SWR Calibration Control
- Multi-Function Meter and Antenna

- Warning Indicator
- PA Capability
- Easy-to-Use Controls



CCBP29LTCH

### COBRA 29 LTD CHROME — PROFESSIONAL AM / FM CB RADIO WITH CHROME FINISH

- Dual-Mode AM / FM
- 40 CB Channels / 4 Watts Power
- Instant Channel 9 for Emergencies
- Dynamic® Microphone Level Control
- Switchable Noise Blanker and Limiter
- SWR Calibration Control
- Multi-Function Meter and Antenna

- Warning Indicator
- PA Capability
- Easy-to-Use Controls
- Chrome Cabinet and Microphone
- Blue LED Channel Indicator
- Talkback Feature



CCBP29LTNW

### COBRA 29 LTD NW — PROFESSIONAL AM / FM CB RADIO WITH NIGHTWATCH®

- Dual-Mode AM / FM
- 40 CB Channels / 4 Watts Power
- Instant Channel 9 / 19 for Emergencies
- Dynamic® Microphone Level Control
- Switchable Noise Blanker and Limiter
- SWR Calibration Control
- Multi-Function Meter and Antenna


- Warning Indicator
- PA Capability
- Easy-to-Use Controls
- NightWatch® Illumination



CCBP29LX0E

### COBRA 29 LX — PROFESSIONAL CB RADIO WITH 4-COLOR LCD DISPLAY

- Selectable, 4-Color LCD Display
- Dual-mode AM/FM
- NOAA® Weather & Emergency Alert
- Weather & Alert Scan
- On-Screen Frequency Display
- Radio Check Feature
- Clock, Timer & Alarm



426-002-N-001  
**COBRA HARNESS FOR CB RADIOS**

- Compatible to work with the following Cobra CB radios:
  - CCBP25LT01
  - CCBP29LT01
  - CCBP29LTCH
  - CCBP29LTNW



HGM73  
**COBRA DYNAMIC 4-PIN CB MICROPHONE**

- Replacement Dynamic CB Microphone
- 9' Cord
- Wire Mesh Grille
- Heavy-Duty ABS Shell
- 4-Pin Connector



HGM75  
**COBRA POWER 4-PIN CB MICROPHONE**

- HighGear™ “70 Series” microphone combines good looks with stellar workmanship
- 2 Transistor Amp with 9 Volt Battery
- 9' Cord
- Wire Mesh Grille
- Heavy-Duty ABS Shell
- 4-Pin Connector



HGM77  
**COBRA NOISE-CANCELLING 4-PIN CB MICROPHONE**

- HighGear™ “70 Series” microphone combines good looks with stellar workmanship
- Noise-Cancelling
- 9' Cord
- Wire Mesh Grille
- Heavy-Duty ABS Shell
- 4-Pin Connector



BEARCAT880

**UNIDEN BEARCAT 880 CB RADIO WITH NOISE CANCELLING MICROPHONE**

- 40 Channels
- Noise Cancelling Microphone
- 7 Color Customizable Digital Display
- NOAA Weather Scan & Alerts
- Integrated SWR Antenna Calibration
- RF Gain & Mic Gain

- Automatic Noise Limiter
- Instant Channel 9 & 19
- Public Address (PA) Function
- Mounting Hardware Included



BEARCAT980

**UNIDEN BEARCAT 980SSB CB RADIO WITH NOISE CANCELLING MICROPHONE**

- 40 Channels
- Noise Cancelling Microphone
- 7 Color Customizable Digital Display
- NOAA Weather Scan & Alerts
- Integrated SWR Antenna Calibration
- RF Gain & Mic Gain

- Automatic Noise Limiter
- Instant Channel 9 & 19
- Public Address (PA) Function
- Single Side Band (SSB)
- Wireless Microphone Capability
- Mounting Hardware Included



PC68LTX

**UNIDEN 40 CHANNEL CB RADIO**

- 40 Channels
- Chrome Front Panel
- Classic Handheld Microphone
- Microphone Gain Control
- RF Gain Control
- Analog S/RF Meter
- PA / CB Switch

- Public Address (PA) Function
- Instant Channel 9
- Automatic Noise Limiter
- High-Cut Audio Switch
- RX / TX Indicator



PC78LTX

**UNIDEN 40 CHANNEL CB RADIO WITH SWR**

- 40 Channels
- Chrome Front Panel
- Classic Handheld Microphone
- Microphone Gain Control
- RF Gain Control
- Analog S/RF Meter
- PA / CB Switch

- Public Address (PA) Function
- Instant Channel 9
- Automatic Noise Limiter
- High-Cut Audio Switch
- RX / TX Indicator
- Integrated SWR Meter



BC645M

**UNIDEN 4-PIN DYNAMIC MICROPHONE WITH METAL HANGER FOR CB RADIOS**

- Compatible with Uniden CB Radios in the PC78 / PC88 Series
- Push-to-Talk Control
- 4-Pin Connect
- 8' Flex Cord
- Metal Microphone Hanger for Durability



BC646

**UNIDEN 4-PIN ERGONOMIC PISTOL GRIP MICROPHONE FOR CB RADIOS**

- Compatible with Uniden CB Radios
- Comfortable Pistol Grip Design
- Push-to-Talk Control
- 4-Pin Connect
- 8' Flex Cord



BC804NCM

**UNIDEN 4-PIN NOISE CANCELLING MICROPHONE WITH METAL HANGER FOR CB RADIOS**

- Compatible with 4-Pin Uniden CB Radios
- Push-to-Talk Control
- 4-Pin Connect
- 8' Flex Cord
- Metal Microphone Hanger for Durability



BMKG0633001

**UNIDEN 4-PIN REPLACEMENT MICROPHONE FOR PRO505XL AND PRO510XL**

- Compatible with Uniden PRO505XL or PRO510XL CB Radios
- 4-Pin Replacement Microphone
- 5' Extra Flexible Coiled Cord
- Clear Quality Sound
- Built for the Professional Drive



## DRIVER EXTREME 38 Special Fiberglass CB Antennas

- Dual 26 Gauge Solid Copper Insulated Wires
- 3/8" Diameter U.S. Made Fiberglass Rod
- Chrome Plated Brass Ferrule with 3/8-24 Thread
- Weather Band Ready – NOAA Alerts
- Factory Tuned – No Adjustment Required
- 400 Maximum Watt Rated
  - 200 Watt Rated – 30" & 36"
  - 300 Watt Rated – 42" & 48"
  - 400 Watt Rated – 54" & 60"
- Frequency Range
  - CB Frequency Range – 26-29 MHz
  - Weather Frequency – 162-166 MHz



**42" 38 SPECIAL FIBERGLASS CB ANTENNA**

DRX-5421

**54" 38 SPECIAL FIBERGLASS CB ANTENNA**

DRX-5541

**60" 38 SPECIAL FIBERGLASS CB ANTENNA**

DRX-5601



## DRIVER EXTREME Silver Bullet Fiberglass CB Antennas

- 15 Gauge Solid Copper High Voltage Insulated Wire
- 1/2" Diameter U.S. Made Fiberglass Rod
- Stainless Steel Tuning Tip & 3/8-24 Thread Base Stud
- Weather Band Ready – NOAA Alerts
- Fingertip Tuning – No Tools Necessary
- 1500 Maximum Watt Rated
  - 1000 Watt Rated – 30" & 36"
  - 1250 Watt Rated – 42" & 48"
  - 1500 Watt Rated – 56", 60" & 66"
- Frequency Range
  - CB – 26-29 MHz
  - AM / FM – 88-108 MHz
  - Weather – 162-166 MHz



**32" SILVER BULLET FIBERGLASS CB ANTENNA**

DRX-4321

**40" SILVER BULLET FIBERGLASS CB ANTENNA**

DRX-4401

**48" SILVER BULLET FIBERGLASS CB ANTENNA**

DRX-4481

**56" SILVER BULLET FIBERGLASS CB ANTENNA**

DRX-4561

**66" SILVER BULLET FIBERGLASS CB ANTENNA**

DRX-4661



## EVERHARDT Power Rated CB Antennas

- Broad Tuning Range – 26.000 to 29.500 MHz
- Exclusive “VibraSorb” Anti-Breakage Design
- 1000W Rating
- 3/4 Wave

<b>24" POWER RATED CB ANTENNA — WHITE</b>	TSM2
<b>24" POWER RATED CB ANTENNA — BLACK</b>	TSM2BLK
<b>36" POWER RATED CB ANTENNA — WHITE</b>	TSM3
<b>36" POWER RATED CB ANTENNA — BLACK</b>	TSM3BLK
<b>42" POWER RATED CB ANTENNA — WHITE</b>	TSM3.5
<b>48" POWER RATED CB ANTENNA — WHITE</b>	TSM4
<b>48" POWER RATED CB ANTENNA — BLACK</b>	TSM4BLACK



**PROSTICK**

## PROSTICK Power Rated CB Antennas — Bulk

- Broad Tuning Range – 26.000 to 29.500 MHz
- Exclusive “VibraSorb” Anti-Breakage Design
- 1000W Rating
- 3/8-24 Thread
- Fiberglass mast joined to nickel plated brass ferrule
- Soldered at one point and then epoxy adhesive 360° around base of antenna

<b>24" CB ANTENNA — WHITE (50 Pack)</b>	TSM2PS
<b>24" CB ANTENNA — BLACK (50 Pack)</b>	TSM2PSB
<b>24" CB ANTENNA — WHITE (50 Pack)</b>	TSM3PS
<b>24" CB ANTENNA — BLACK (50 Pack)</b>	TSM3PSB
<b>24" CB ANTENNA — WHITE (50 Pack)</b>	TSM4PS
<b>24" CB ANTENNA — BLACK (50 Pack)</b>	TSM4PSB



CPI1500W

**COBRA 1500W MODIFIED SINE WAVE POWER INVERTER**

- 1500 Watts Continuous Power – 3000 Watts Peak Power
- 90% Efficiency
- (4) GFCI Protected AC Outlets
- USB-A Fast Charge Port | USB-C Fast Charge Port
- Pentagon Protection® against failures of thermal shutdown, reverse polarity, over-voltage shutdown, low voltage shutdown and low voltage alarm
- LED Digital Display
- Rugged Industrial Design



CPI2500W

**COBRA 2500W MODIFIED SINE WAVE POWER INVERTER**

- 2500 Watts Continuous Power – 5000 Watts Peak Power
- 90% Efficiency
- (4) GFCI Protected AC Outlets
- USB-A Fast Charge Port | USB-C Fast Charge Port
- Pentagon Protection® against failures of thermal shutdown, reverse polarity, over-voltage shutdown, low voltage shutdown and low voltage alarm
- LED Digital Display
- Rugged Industrial Design



CPI3000W

**COBRA 3000W MODIFIED SINE WAVE POWER INVERTER**

- 3000 Watts Continuous Power – 6000 Watts Peak Power
- 90% Efficiency
- (4) GFCI Protected AC Outlets
- USB-A Fast Charge Port | USB-C Fast Charge Port
- Pentagon Protection® against failures of thermal shutdown, reverse polarity, over-voltage shutdown, low voltage shutdown and low voltage alarm
- LED Digital Display
- Rugged Industrial Design



CPIA20CK

**COBRA PRO CABLE INSTALLATION KIT FOR 1500W TO 3000W POWER INVERTERS**

- Professional Grade Power Cables for 1500W to 3000W power inverters
- 12-Foot Heavy-Duty #2 AWG Cables for direct-to-battery cable installation
- Adhesive Lined Shrink Tubing for a clean install and to prevent corrosion
- **Includes** – 12" Red #2 AWG Power Cable, 12" Black #2 AWG Power Cable, (4) Battery Terminal Contacts and Adhesive Lined Tubing



SAM1000-12REM

### SAMLEX 1000 WATT MODIFIED SINE WAVE POWER INVERTER

- Compact Design
- Load Controlled Cooling Fan
- Low Battery Input Alarm
- Soft Start Technology
- Cool Surface Technology
- Low Interference Technology
- Universal Protection Circuit – Thermal, Battery, Overload, Short Circuit, Earth Fault
- Input – 12 VDC
- Output – 115 VAC
- Watts – 1000 Watts
- Surge – 2000 Watts
- Outlets – 2
- Safety – ETL to UL Standard
- **Remote Control Included**



SAM1500-12REM

### SAMLEX 1500 WATT MODIFIED SINE WAVE POWER INVERTER

- Compact Design
- Load Controlled Cooling Fan
- Low Battery Input Alarm
- Soft Start Technology
- Cool Surface Technology
- Low Interference Technology
- Universal Protection Circuit – Thermal, Battery, Overload, Short Circuit, Earth Fault
- Input – 12 VDC
- Output – 115 VAC
- Watts – 1500 Watts
- Surge – 3000 Watts
- Outlets – 2
- Safety – ETL to UL Standard
- **Remote Control Included**



SAM2000-12REM

### SAMLEX 2000 WATT MODIFIED SINE WAVE POWER INVERTER

- Compact Design
- Load Controlled Cooling Fan
- Low Battery Input Alarm
- Soft Start Technology
- Cool Surface Technology
- Low Interference Technology
- Universal Protection Circuit – Thermal, Battery, Overload, Short Circuit, Earth Fault
- Input – 12 VDC
- Output – 115 VAC
- Watts – 2000 Watts
- Surge – 4000 Watts
- Outlets – 3
- Safety – ETL to UL Standard
- **Remote Control Included**



SAM3000-12REM

### SAMLEX 3000 WATT MODIFIED SINE WAVE POWER INVERTER

- Compact Design
- Load Controlled Cooling Fan
- Low Battery Input Alarm
- Soft Start Technology
- Cool Surface Technology
- Low Interference Technology
- Universal Protection Circuit – Thermal, Battery, Overload, Short Circuit, Earth Fault
- Input – 12 VDC
- Output – 115 VAC
- Watts – 3000 Watts
- Surge – 6000 Watts
- Outlets – 3
- Safety – ETL to UL Standard
- **Remote Control Included**


**NTX-1500-12**
**SAMLEX 1500 WATT PURE SINE WAVE POWER INVERTER**

- Samlex Hypersurge™ technology starts high surge loads with ease
- High Efficiency and Very Low Idle Current
- Wide Input Voltage Range
- Low Noise Load and Temperature Controlled Variable Speed Fan for quiet operation
- Input – 12 VDC
- Output – 115 VAC
- Watts – 1500 Watts
- Surge – 3000 Watts
- Outlets – 2
- Safety – ETL to UL Standard
- **Remote Control Included**


**NTX-2000-12**
**SAMLEX 2000 WATT PURE SINE WAVE POWER INVERTER**

- Samlex Hypersurge™ technology starts high surge loads with ease
- High Efficiency and Very Low Idle Current
- Wide Input Voltage Range
- Low Noise Load and Temperature Controlled Variable Speed Fan for quiet operation
- Input – 12 VDC
- Output – 115 VAC
- Watts – 2000 Watts
- Surge – 4000 Watts
- Outlets – 2
- Safety – ETL to UL Standard
- **Remote Control Included**


**SAMLEX Installation Kits**

- **Includes** – Pair of Heavy-Duty Cables, Fuse Assembly with Replaceable Fuse, and All of the Necessary Hardware

(100A) <b>FOR 600—1500W INVERTERS</b> (10' Cables)	DC-1000-KIT
(200A) <b>FOR 1500—2000W INVERTERS</b> (10' Cables)	DC-2000-KIT
(300A) <b>FOR 1500—2000W INVERTERS</b> (10' Cables)	DC-2500-KIT
(300A) <b>FOR 1500—2000W INVERTERS</b> (15' Cables)	DC-2500-KIT-XL
(400A) <b>FOR 3000W INVERTERS</b> (10' Cables)	DC-3500-KIT


**SAMLEX Power Inverter & Installation Kit Bundles**

- **Includes** – Modified Sine Wave Power Inverter, Installation Kit, Remote Control, Pair of Heavy-Duty Cables, Fuse Assembly, and All of the Necessary Hardware

<b>1500W INVERTER + INSTALLATION KIT</b> (10' Cables)	SAM1500DC2500B
<b>2500W INVERTER + INSTALLATION KIT</b> (10' Cables)	SAM2000DC2500B
<b>2500W INVERTER + INSTALLATION KIT</b> (15' Cables)	SAM2000DC2500XLB



CD30-DCTB1

**DOMETIC COMPACT COMPRESSOR BUILT-IN DRAWER  
REFRIGERATOR — 31L**

- 12/24 Volts DC
- Handle with Keyed Lock
- Easy-Pull Drawer on Roller Bearing Slides
- Durable Metal Frame Construction
- Fully Hermetic Compressor
- Temperature Regulation
- Volume – 30L / 1.06 cu. ft.
- Width – 17.32 in.
- Height – 9.84 in.
- Depth – 26.15 in.
- Weight – 39.7 lbs.



NRX80T

**DOMETIC COOLMATIC® 12V REFRIGERATOR FOR TRUCKS — 80L**

- Converts to Full Fridge, Freezer, or Combo
- Refreshed Interior and Frameless Door
- Extreme Durability
- Energy Efficiency
- Easy Installation

- Volume – 78L / 2.75 cu. ft.
- Width – 18.70 in.
- Height – 24.60 in.
- Depth – 21.14 in.
- Weight – 39.7 lbs.



NRX60T

**DOMETIC COOLMATIC® 12V REFRIGERATOR FOR TRUCKS — 60L**

- Converts to Full Fridge, Freezer, or Combo
- Refreshed Interior and Frameless Door
- Extreme Durability
- Energy Efficiency
- Easy Installation

- Volume – 58L / 2.05 cu. ft.
- Width – 17.64 in.
- Height – 20.67 in.
- Depth – 21.14 in.
- Weight – 35.3 lbs.

TRUCK APPLICATION	REFRIGERATOR KIT (Refrigerator + Installation Kit)	INSTALLATION KIT (Refrigerator Sold Separately)
	NRX60T	NRX60T
<b>FREIGHTLINER P4 CASCADIA<sup>1</sup></b>	PP607529	PP607528 (CLA hookup only)
<b>PETERBILT 389 / 386 / 379<sup>2</sup></b>	PP607490	PP607509

**APPLICATION NOTES:**

<sup>1</sup> Freightliner P4 / New Cascadia 60" or 72" sleeper — Install kit **ONLY** for P4 / New Cascadia trucks equipped with Data Code: 64E-010 or Data Code: 719-022. (Floor Bracket / Tray option)\*

<sup>2</sup> Peterbilt 379 trucks are built with two different cabinets — one fits a NRX50T (15.35" wide) and the other one fits a CRX-65 (17.5" wide).

*\*Due to custom variations in Freightliner truck builds, applications for refrigerator installation kits can differ from what is noted above.*



NRX50T

**DOMETIC COOLMATIC® 12V REFRIGERATOR FOR TRUCKS — 50L**

- Converts to Full Fridge, Freezer, or Combo
- Refreshed Interior and Frameless Door
- Extreme Durability
- Energy Efficiency
- Easy Installation
- Volume – 44 L / 1.63 cu. ft.
- Width – 14.96 in.
- Height – 20.67 in.
- Depth – 20.08 in.
- Weight – 33.1 lbs.

**NRX50T REFRIGERATOR & INSTALLATION KITS**

TRUCK APPLICATION	REFRIGERATOR KIT (Refrigerator + Installation Kit)	INSTALLATION KIT (Refrigerator Sold Separately)
	NRX50T	NRX50T
<b>FREIGHTLINER<sup>1</sup></b>	PP607479	PP607507
<b>FREIGHTLINER P3 CASCADIA<sup>2</sup></b>	PP607480	PP607524
<b>FREIGHTLINER P4 CASCADIA<sup>3</sup></b>	PP607527	PP607528 <sup>4</sup>
<b>PETERBILT<sup>5</sup></b>	PP607481	PP607508
<b>PETERBILT 579<sup>6</sup></b>	PP607484	PP607525
<b>KENWORTH<sup>5</sup></b>	PP607481	PP607508
<b>KENWORTH T680</b>	PP607486	PP607526
<b>INTERNATIONAL PROSTAR &amp; LT<sup>7</sup></b>	PP607487	N/A

**APPLICATION NOTES:**

<sup>1</sup> Freightliner trucks are supplied with a Y-harness to adapt various refrigerators to the truck electrical system. The proprietary harness part number is A06-19868-021.

<sup>2</sup> Freightliner P3 Cascadia — install kit for standard cabinet.\*

<sup>3</sup> Freightliner P4 / New Cascadia 60" or 72" sleeper — Install kit **ONLY** for P4 / New Cascadia trucks equipped with **Data Code: 64E-010** or **Data Code: 719-022**.  
(Floor Bracket / Tray option)\*

<sup>4</sup> PP607528 only includes a cigarette lighter adapter (CLA) hookup — brackets are **NOT** needed as the fridge is strapped down to the floor tray.

<sup>5</sup> For use in **most** legacy Kenworth, Peterbilt 63" sleepers. To ensure proper fit measure your cabinet opening. The cabinet opening should measure 15.35 "(W) x 21.06"(H) x 19.69"(D) at minimum.

<sup>6</sup> Peterbilt interior options may vary. For models with premium interiors, factory-installed custom door covers are **NOT** compatible with the NRX50T.  
Cabinet modifications may be required. Please consult Pana-Pacific for installation guidance before ordering.

<sup>7</sup> For International LT trucks 2021 and older with cabinet that has an opening of 15.4"(W) x 21.9"(H).

*\*Due to custom variations in Freightliner truck builds, applications for refrigerator installation kits can differ from what is noted above.*



VF51

**VITRIFRIGO BUILT-IN REFRIGERATOR FOR MOBILE APPLICATION —  
1.8 CU. FT.**

- 12 Volts DC
- Combo Refrigerator / Freezer
- Motion Sensor Interior LED Light
- Exterior is Galvanized Steel
- Forced Air, Fin and Tube Condenser
- Adjustable Electromechanical Temp. Control
- Volume — 51 L / 1.8 cu. ft.
- Width — 15.625 in.
- Height — 21 in.
- Depth — 20.5 in.
- Weight — 39.7 lbs.

**VF51 REFRIGERATOR & INSTALLATION KITS**

TRUCK APPLICATION	REFRIGERATOR KIT (Refrigerator + Installation Kit)	INSTALLATION KIT (Refrigerator Sold Separately)
	<b>VF51</b>	<b>VF51</b>
<b>FREIGHTLINER<sup>1</sup></b>	PP607231	PP607216
<b>FREIGHTLINER P3 CASCADIA<sup>2</sup></b>	PP607232	PP607219
<b>FREIGHTLINER P4 CASCADIA<sup>3</sup></b>	PP607339 (w/ compressor cover)	PP607373 (w/ compressor cover)
<b>PETERBILT<sup>4</sup></b>	PP607233	PP607213
<b>PETERBILT 579<sup>5</sup></b>	PP607228	PP607045
<b>KENWORTH<sup>4</sup></b>	PP607229	PP607213
<b>KENWORTH T680</b>	PP607230	PP607028
	<b>VF51-NAV</b>	<b>VF51-NAV</b>
<b>INTERNATIONAL PROSTAR &amp; LT</b>	PP607238	PP607307

**APPLICATION NOTES:**

<sup>1</sup> Freightliner trucks are supplied with a Y-harness to adapt various refrigerators to the truck electrical system. The proprietary harness part number is A06-19868-021.

<sup>2</sup> Freightliner P3 Cascadia — install kit for standard cabinet.\*

<sup>3</sup> Freightliner P4 / New Cascadia 60" or 72" sleeper — install kit **ONLY** for P4 / New Cascadia trucks equipped with **Data Code: 64E-010** or **Data Code: 719-022**.  
(Floor Bracket / Tray option)\*

<sup>4</sup> For use in **most** legacy Kenworth, Peterbilt 63" sleepers. To ensure proper fit measure your cabinet opening. The cabinet opening should measure 15.35 "(W) x 21.06"(H) x 19.69"(D) at minimum.

<sup>5</sup> Peterbilt interior options may vary. For models with premium interiors, factory-installed custom door covers are **NOT** compatible with the VF51.  
Cabinet modifications may be required. Please consult Pana-Pacific for installation guidance before ordering.

*\*Due to custom variations in Freightliner truck builds, applications for refrigerator installation kits can differ from what is noted above.*



VF62

**VITRIFRIGO BUILT-IN REFRIGERATOR FOR MOBILE APPLICATION —  
2.2 CU. FT.**

- 12 Volts DC
- Combo Refrigerator / Freezer
- Motion Sensor Interior LED Light
- Exterior is Galvanized Steel
- Forced Air, Fin and Tube Condenser
- Adjustable Electromechanical Temp. Control
- Volume – 62 L / 2.2 cu. ft.
- Width – 18.375 in.
- Height – 21 in.
- Depth – 21.875 in.
- Weight – 42.3 lbs.

**VF62 REFRIGERATOR & INSTALLATION KITS**

TRUCK APPLICATION	REFRIGERATOR KIT (Refrigerator + Installation Kit)	INSTALLATION KIT (Refrigerator Sold Separately)
	<b>VF62</b>	<b>VF62</b>
<b>FREIGHTLINER P4 CASCADIA<sup>1</sup></b>	PP607337 (w/ compressor cover)	PP607374 (w/ compressor cover)
<b>FREIGHTLINER P4 CASCADIA<sup>2</sup></b>	PP607240	PP607276
<b>FREIGHTLINER P4 CASCADIA<sup>3</sup></b>	PP607241	PP607277
<b>PETERBILT 379 / 386 / 389<sup>4</sup></b>	PP607242	PP607221

**APPLICATION NOTES:**

<sup>1</sup> Freightliner P4 / New Cascadia 72" sleeper — install kit **ONLY** for P4 / New Cascadia trucks equipped with **Data Code**: 64E-010 or 719-022.  
(Floor Bracket / Tray option)\*

<sup>2</sup> Freightliner P4 / New Cascadia 72" sleeper — install kit **ONLY** for P4 / New Cascadia trucks equipped with **Data Code**: 64E-012 and 719-998.  
(Storage Cabinet option)

<sup>3</sup> Freightliner P4 / New Cascadia 72" sleeper — install kit **ONLY** for P4 / New Cascadia trucks equipped with **Data Code**: 64E-011 and 719-017.  
(Factory Installed Fridge option)

<sup>4</sup> Peterbilt 379 trucks are built with two different cabinets — one fits a VF51 (15" wide) and the other one fits a VF62 (17.5" wide).

*\*Due to custom variations in Freightliner truck builds, applications for refrigerator installation kits can differ from what is noted above.*



17-170301

**BLUE TIGER ULTIMATE PREMIUM 2-IN-1 WIRELESS HEADSET**

- Noise Cancellation – 96%
- Talk Time – 60 hrs
- Standby Time – 1,200 hrs
- Interchangeable Ear Cushions – Yes
- Multimedia Support – Yes
- Smart Assistant – Yes
- Range – 100 ft. +
- Warranty – 1 Year



17-180300

**BLUE TIGER ELITE ULTRA 2.0 ELEVATED HEADSET**

- Noise Cancellation – 96%
- Talk Time – 60 hours
- Standby Time – 1200 hours
- Interchangeable Ear Cushions – Yes
- Multimedia Support – Yes
- Smart Assistant – Yes
- Range – 100 feet +
- Warranty – 1 Year



17-130400

**BLUE TIGER STORM WIRELESS BLUETOOTH HEADSET**

- Noise Cancellation – 96%
- Talk Time – 30 hours
- Standby Time – 800 hours
- Interchangeable Ear Cushions – No
- Voice Assistant – Yes
- Range – 100 feet +
- Warranty – 1 Year

- Also Available in **Rose Gold**  
(Part No. 17-130404)

A promotional graphic for a free pop display. It features a large 'FREE' in blue and black, followed by 'POP DISPLAY' and 'WITH QUALIFYING ORDERS' in black. The Blue Tiger logo is at the top right. To the left, there's an image of a blue pop display stand with a headset and a QR code.

Contact your Pana-Pacific sales representative for more info.



MOBM2-BLK-LG

**MOB ARMOR MOB MOUNT MAGNETIC — LARGE**

- This padded cradle magnetic phone mount features a 90lb pull-force magnet for a secure hold no matter where mounted
- Twist lock that can quickly and easily secure device
- High density closed-cell EVA Foam protects from shock & vibration
- 90° tilt and 180° rotation ensure perfect viewing angles
- Min/Max Cradle Height – 4.4" / 7.2"
- Min/Max Cradle Width – 2.4" / 3.4"
- Cradle Depth – 0.6"


**MOB ARMOR MOBNETIC MAXX**

- The Mobnetic Maxx is a magnetic car mount phone holder designed for secure, hands-free use
- Dual magnets provide a direct mounting solution to any ferrous surface
- 90lb pull-force magnets
- 6061-T6 aircraft grade aluminum
- 90° tilt and 360° rotation
- **Includes** – MobNetic Maxx, (2) Adhesive Device Plates, (2) Adhesive Mounting Discs, and Surface Cleaning Wipes

*NOTE: Available in additional colors and finishes.*


**MOB ARMOR MOBNETIC MAXX — BLACK**  
**MOB ARMOR MOBNETIC MAXX — BLACK CHROME**  
**MOB ARMOR MOBNETIC MAXX — BLUE**  
**MOB ARMOR MOBNETIC MAXX — BRONZE**  
**MOB ARMOR MOBNETIC MAXX — GOLD**  
**MOB ARMOR MOBNETIC MAXX — GUN METAL**  
**MOB ARMOR MOBNETIC MAXX — PINK**  
**MOB ARMOR MOBNETIC MAXX — RED**  
**MOB ARMOR MOBNETIC MAXX — SILVER**

MOBN-MX-BLK  
 MOBN-MX-BCHR  
 MOBN-MX-BLU  
 MOBN-MX-BRNZ  
 MOBN-MX-GLD  
 MOBN-MX-GM  
 MOBN-MX-PNK  
 MOBN-MX-RD  
 MOBN-MX-SLVR



MOB ARMOR

# FREE POP DISPLAY WITH QUALIFYING ORDERS

Contact your Pana-Pacific sales representative for more info.





**TABN-MX-BLK**  
**MOB ARMOR TABNETIC MAXX**

- Mounting Base – 290lb Pull-Force Magnet with Rubber Boot
- Housing – Billet Aluminum Ball Housing with 180 degrees Device Tilt
- Device Mounting Head – Articulating 290lb Pull-Force Magnet with Rubber Boot
- Full Mount Height – 4.625"
- Full Mount Width – 2.5"
- **Includes** – TabNetic Maxx, (2) TabNetic Device Places, (2) TabNetic Mounting Discs, and Installation Instructions & Accessories



**MOBN-STX-BLK**  
**MOB ARMOR MOBNETIC STIXX**

- The MobNetic Stixx is a semi-permanent magnetic car mount phone holder with a VHB adhesive base
- Integrates with Mob Armor's FLEX system for wireless charging
- 90lb pull-force magnet
- 6061-T6 aircraft grade aluminum
- 90° tilt and 360° rotation
- **Includes** – MobNetic Stixx, (2) Adhesive Device Plates, and Surface Cleaning Wipes



**MOBN-MX-BLK-MS**  
**MOB ARMOR MOBNETIC MAXX .MS**

- The MobNetic Maxx .MS magnetic phone mount features a powerful 90lb magnet and a billet aluminum body
- Compatible with MagSafe® iPhones and cases
- 90lb pull-force magnets for secure, hands-free use
- 90° tilt for adjustable viewing angles
- **Includes** – MobNetic Maxx MS, (2) Adhesive Mounting Discs, (2) Adhesive Mounting Rings, and Surface Cleaning Wipes

**NOTE:** Available in additional colors and finishes.



**MOBN-SLM-BLK**  
**MOB ARMOR MOBNETIC SLIM**

- Device Mounting Type – Non-Charging MagSafe® compatible magnet array, with Adhesive Mounting Disc for non-MagSafe® phones
- Mounting Base – 2.3" x 0.75" flexible mounting base with VHB Adhesive
- **Includes** – MobNetic Slim, Adhesive Mounting Ring, and Surface Cleaning Wipes



MOBN-GO-BLK  
**MOB ARMOR MOBNETIC GO**

- The MobNetic Go is a versatile magnetic phone mount designed for secure, hands-free use
- Dual magnets provide a direct mounting solution to any ferrous surface
- Ergonomic design provides a comfortable grip to hold and position your phone
- 90lb pull-force magnets
- 6061-T6 aircraft grade aluminum
- **Includes** – MobNetic Go, (1) Adhesive Device Plate, (1) Adhesive Mounting Disc, and Surface Cleaning Wipes



MAG-FLEX  
**MOB ARMOR MAG FLEX PLATE**

- Multi-Device Compatibility – Works with most devices and phone cases that are capable of Qi Wireless Charging or have MagSafe technology . . . attaches adhesively to the center of the device, directly above the wireless charging coil. The magnetic array inside the plate does not interfere with the wireless charging technology.
- Stronger Bond Than MagSafe – Creates a strong magnetic bond from charger to device on Qi Wireless Charging devices.
- The Mag FLEX plate is only 2mm thick.



MAG-FLEX-WC-2  
**MOB ARMOR FLEX CHARGE 2 I QI2 & MAGSAFE® MAGNETIC WIRELESS CHARGER**

- Qi2 / MagSafe® Wireless Charging
- Designed for Phone Use
- Works With Magnetic Phone Mounts
- MagSafe® Compatible Mounting
- Integrated USB-C Charging Cable — 4.9ft / 1.5m
- Durable Premium Build



MOB-MD  
**MOB ARMOR ADHESIVE MAGNETIC MOUNTING DISCS (2 PACK)**

- 1.5" Diameter Zinc-Oxide Coated Stainless Steel Disc with VHB adhesive, for magnetic mounting on non-ferrous surfaces
- **Includes** – (2) Adhesive Mounting Discs and (2) Alcohol Wipes

*Solar power from Pana-Pacific offers robust, vehicle-focused solar panel options to ensure longer battery life, more uptime, and lower fleet costs. Many fleets see **full payback in less than a year!***

### What Makes Our Solar Different?

Unlike residential or RV applications, solar panels on trucks are constantly moving. This means:



**The solar panels may be partially shaded or simply not positioned for direct sunlight.**

Pana-Pacific's solar panel options are designed with added redundancy to ensure peak performance in low-light situations.



**The solar panels will be subjected to the intense vehicle vibration and road hazards.**

Pana-Pacific's solar panel options are designed to meet the robust requirements of the on-road application to ensure longevity and continuous uptime.



**Solar panel kits can be installed using the included adhesive, plug-and-play harness and perimeter tape.**

### Go Power! Solar Systems for Commercial Vehicles are Designed to be Ultra-Rugged

**MPPT** (Maximum Power Point Tracking) **controllers** are potted and IP68 rated.

- Mount anywhere and withstand shock, vibration, and heat
- 95% efficient and stay efficient around 85 – 90% in low light conditions
- Extra safeties and redundancies for use 365 days a year at maximum capacity

'True Flexible' solar panels built with flexible membrane and cells, **NOT** glass which can break.

**Harnesses are constructed to survive the elements;** made in corrugated tubing with shrink wrapping and IP68 connectors. **NO** bare wires.

**Installation is peel-and-stick** using heliobond adhesive and panel perimeter tape to ensure no water or dirt gets underneath the panel(s) to cause peeling. Harness tape allows for the harness to be installed anywhere.

**5-Year Warranty** for commercial use.



### GO POWER! 110W Solar Kits

- High-efficiency, back-contact solar cells
- Penetrating or adhesive mounting option
- Curves up to 30 degrees
- Lightweight module is less than 1/8 in (3 mm) thick
- Industry standard quick-connect cables (MC4) work in series or in parallel
- Durable, marine grade material
- Up to 82% lighter than other solar modules
- Dimensions — 59" x 24" x 4"

#### 110W SOLAR MODULE + MMPT CONTROLLER (10A) + 20' HARNESS

*Ideal for truck battery tending; very low-cycle liftgate applications*

(U.S.A.) PP807262-USA  
(Canada) PP807262-CAN

#### 110W SOLAR MODULE + MMPT CONTROLLER (30A) + 20' HARNESS

*Kit with over-sized controller to allow for expansion of system*

(U.S.A.) PP807263-USA  
(Canada) PP807263-CAN

#### 110W SOLAR MODULE

*Expansion kit for additional power if needed*

(U.S.A.) PP807264-USA  
(Canada) PP807264-CAN



## GO POWER! 110W Solar Kits — 2 Pack

**(2) 110W SOLAR MODULES + MMPT CONTROLLER  
+ 20' HARNESS\***

PP807279-USA  
 PP807279-CAN

**(2) 110W SOLAR MODULE + MMPT CONTROLLER  
+ 40' HARNESS\***

PP807280-USA  
 PP807280-CAN

*\*Ideal for liftgate applications*



## GO POWER! 110W Solar Kits — 3 Pack

**(3) 110W SOLAR MODULES + MMPT CONTROLLER  
+ 20' HARNESS\***

PP807281-USA  
 PP807281-CAN

**(3) 110W SOLAR MODULES + MMPT CONTROLLER  
+ 40' HARNESS\***

PP807282-USA  
 PP807282-CAN

*\*Ideal for high-cycle liftgate applications; idle-mitigation for trucks with eAPUs; liftgate & electric pallet jack applications*



### PP807277-USA / PP807277-CAN GO POWER! 35W SOLAR KIT

- Includes – 35W Solar Module, PWM Controller, & 14' Solar Harness
- Ideal Application — Battery tending; Reefer battery maintenance; GPS or other small load off-set
- Dimensions — 39" x 16" x 3"

**35W SOLAR KIT — WITH SUCTION CUP APPLICATION**

PP807297



### PP807278-USA / PP807278-CAN GO POWER! 50W SOLAR KIT

- Includes – 50W Solar Module, PWM Controller, & 14' Solar Harness
- Ideal Application — Battery tending; Reefer battery maintenance; GPS or other small load off-set
- Dimensions — 55" x 14" x 3"



## PRO-VIEW 7" Color LCD Monitor with 1 Camera Input

- 7" Color LCD Monitor with Wide Viewing Angle (Part No. M115C)
- One PAL/NTSC Camera Input
- One A/V Input
- Built-In Speaker
- **Includes** – Universal Pedestal Mount, Flush In-Dash Mounting Housing, Power / Camera Input Harness, and Remote Control

Rear View Camera  
Part No. C122HSide View Camera  
Part No. C-SDR-CMOSExtender  
CablesTrailer Camera Cable  
Part No. CAM-HDT-PLA

### M115C MONITOR + REAR VIEW CAMERA + 35' CABLE

MCS-10PP

### M115C MONITOR + REAR VIEW CAMERA + 70' CABLE

MCS-10PP70

### M115C MONITOR + REAR VIEW CAMERA + 35' CABLE + 70' CABLE + TRAILER CAMERA CABLE

MCS-10PP-ST

### M115C MONITOR + SIDE VIEW CAMERA + 16' CABLE

MCS-20PP



## PRO-VIEW 7" Color LCD Monitor with 3 Camera Inputs

- 7" Color LCD Monitor with Wide Viewing Angle (Part No. M130C)
- Three PAL/NTSC Camera Input
- One Front Panel Mount A/V Input
- Built-In Speaker
- Button-Controlled Brightness
- **Includes** – Sun Shield and U-Bracket, Universal Pedestal Mount, Flush In-Dash Mounting Housing, Power / Camera Input Harness, and Remote Control

Rear View Camera  
Part No. C122HSide View Camera  
Part No. C-SDR-CMOSExtender  
CablesTrailer Camera Cable  
Part No. CAM-HDT-PLA

### M130C MONITOR + REAR VIEW CAMERA + 35' CABLE

MCS-13PP

### M130C MONITOR + REAR VIEW CAMERA + 70' CABLE

MCS-13PP70

### M130C MONITOR + REAR VIEW CAMERA + 35' CABLE + 70' CABLE + TRAILER CAMERA CABLE

MCS-13PP-ST

### M130C MONITOR + SIDE VIEW CAMERA + 16' CABLE

MCS-23PP

### M130C MONITOR + REAR VIEW CAMERA + SIDE VIEW CAMERA + 16' CABLE + 35' CABLE

MCS-30PP

### M130C MONITOR + REAR VIEW CAMERA + SIDE VIEW CAMERA + 16' CABLE + 35' CABLE + 70' CABLE + TRAILER CAMERA CABLE

MCS-30PP-ST

### M130C MONITOR + REAR VIEW CAMERA + (2) SIDE VIEW CAMERAS + (2) 16' CABLES + 35' CABLE

MCS-40PP

### M130C MONITOR + REAR VIEW CAMERA + (2) SIDE VIEW CAMERAS + (2) 16' CABLE + 35' CABLE + 70' CABLE + TRAILER CAMERA CABLE

MCS-40PP-ST



PLS-100

### PRESSUREPRO PULSE TPMS+ MONITOR

- Standard Mode – 1 to 80 wheel positions (16 per vehicle, 5 vehicle max)
- Drop and Hook Mode – Communicates with up to 10 Link devices at once, up to 160 tires
- Dimensions and Weight – 4.5" W x 3.0" H x 0.75" D, 4 ounces, 12-24 VDC
- Communicates via CAN/J1939 or RS232 – Requires data cables (**Sold Separately**)
- Programming device for Link products – Requires CAN cables (**Sold Separately**)
- Internal data logging – Export to microSD in XML format
- Fully customizable viewing modes and quick glance notices
- 6 customizable alerts including the market's first cross axle alarm
- Antenna and power cord required (**Sold Separately**)



PLS-120

### PRESSUREPRO PULSE FX MONITOR

- The first BYOD based TPMS option designed specifically for towable and light duty vehicle applications
- FX allows users to leverage PressurePro's sensor technology alongside existing smart devices
- Monitor up to 40 tires simultaneously
- Supports drop & hook applications for up to 5 units
- LED quick warning alert on FX with full information and alerts accessible from the mobile application
- Five customizable alerts including the market's first cross axle alarm
- Power: 12-36 VDC, with surge protection to 65V
- Communicates to smart device via Bluetooth 4.2
- Reception range is 100' on average, with a maximum of 1000' with direct line of sight
- Antenna, power cable, and PULSE sensors **Sold Separately**



SEN-205

### PRESSUREPRO SENSOR — DYNAMIC

- PressurePro sensors are dynamics sensing technology with unrivaled durability for even the most challenging environments and applications.
- The sensors, which install in just seconds to the vehicle's valve stem, continuously sample tire performance information (including pressure and temperature) and send those readings via RF signal to a receiving module for reporting.
- Weight – 26.2 grams
- Dimensions – 1.146" D x 1.146" H, includes valve fitting



OEM-SEN-225

### PRESSUREPRO INDUSTRIAL SENSOR — DYNAMIC

- PressurePro sensors are dynamics sensing technology with unrivaled durability for even the most challenging environments and applications.
- The sensors, which install in just seconds to the vehicle's valve stem, continuously sample tire performance information (including pressure and temperature) and send those readings via RF signal to a receiving module for reporting.
- Weight – Under 30 grams
- Dimensions – 1.047" D x 1.146" H, excluding valve fitting
- Robust electronics for industrial applications



All products, product manufacturers, product appearance or design, descriptions, features, and part numbers contained within this catalog are subject to change without prior notice.

Please contact Pana-Pacific Customer Service for the most up-to-date information.

## MEDIUM-DUTY RADIO HARNESS GUIDE

All of the medium duty trucks manufactured by Hino, Isuzu and Mitsubishi-Fuso require one of four different connectors to adapt the plug on the instrument panel harness (originally inserted directly into the OEM radio) to an adapter harness that will allow the use of a Pana-Pacific supplied aftermarket radio.

Some truck manufacturers have used at least three of these types of plugs at various times in the last 20 years, and some of these plugs have been used by all three of the medium duty truck manufacturers. The four different connectors can be distinguished by the number of pin positions in each.



10-Pin Connector



13-Pin Connector



14-Pin Connector



16-Pin Connector

These “truck side” connectors are matched with three “radio side” connectors which fit any radio Pana-Pacific sells. Although each of the radio side connectors has 16 pin positions, they can be distinguished by size and color: **Panasonic Grey, Panasonic Black or ISO-DIN**.

	<b>10-PIN CONNECTOR</b>	<b>13-PIN CONNECTOR</b>	<b>14-PIN CONNECTOR</b>	<b>16-PIN CONNECTOR</b>
<b>PANASONIC GREY</b>	PP205124	PP202655	PP201990	PP202917
<b>PANASONIC BLACK</b>	PP205340	PP205257	PP205339	PP205341
<b>ISO-DIN</b>	PP204406	PP201499	PP202924	PP202918

## TRUCK RADIO APPLICATION GUIDE

TRUCK MODEL / YEAR	RADIO CHASSIS	HARNESS SUFFIX
<b>FREIGHTLINER</b>		
ALL MEDIUM DUTY - RADIO OVER HEAD	DIN	1A
COE MODELS BUILT BEFORE 6/86	SHAFT	1
COE MODELS BUILT 6/86 THRU 7/05	DIN	1A
CONVENTIONAL MODELS BUILT BEFORE 6/86	SHAFT	1
CONVENTIONAL MODELS BUILT 6/86 THRU 7/05	DIN	1A
CONVENTIONAL MODELS BUILT AFTER 7/05	DIN	ISO-DIN
CONVENTIONAL MODELS PREMIUM SOUND	DIN	1X
CENTURY CLASS MODELS WITH PREMIUM SOUND AND CD CHANGER	DIN	1Y
<b>PETERBILT</b>		
ALL MEDIUM DUTY COE AND CONVENTIONAL (330)	DIN	2A
COE MODELS BUILT BEFORE 10/86	SHAFT	2
COE MODELS BUILT AFTER 10/86	DIN	2A
CONVENTIONAL MODELS BUILT BEFORE 10/86 (359)	SHAFT	2
CONVENTIONAL MODELS BUILT 10/86 TO 6/05	DIN	2A
CONVENTIONAL W/ PREMIUM SOUND TO 12/95 (379)	DIN	2X (14)
CONV W/ PREM SOUND FROM 1/96 TO 4/05 (22)	DIN	2Y
CONV W/ PREM SOUND FROM 4/05 (22)	DIN	ISO-DIN
MODEL 387 BUILT TO 9/06	DIN	3C
MODEL 387 BUILT FROM 9/06	DIN	ISO-DIN
MODEL 387 W/ PREM SOUND BUILT TO 9/06	DIN	3C
MODEL 387 W/ PREM SOUND BUILT FROM 9/06	DIN	ISO-DIN
<b>KENWORTH</b>		
BEFORE 1998	DIN	3
ALL MEDIUM DUTY COE	DIN	3A
MEDIUM DUTY (T300)	DIN	3C
CONVENTIONAL MODELS ALL BUILT FROM 2/94 TO 4/05	DIN	3A
CONVENTIONAL MODELS ALL BUILT FROM 4/05	DIN	ISO-DIN
T-2000 MODELS	DIN	3C
<b>INTERNATIONAL*</b>		
2600-8300 SERIES MEDIUM DUTY BEFORE 7/92	DIN	4
2600-8300 SERIES MEDIUM DUTY BUILT 7/92 TO 8/04	DIN	4A
MEDIUM DUTY AFTER 8/04	DIN	ISO-DIN
9000 SERIES COE	DIN	4
9000 SERIES CONVENTIONAL BUILT BEFORE 7/92	SHAFT	4
9000 SERIES CONVENTIONAL BUILT 7/92 TO 8/04	DIN	4A
9000 SERIES CONVENTIONAL PRO SLEEPER FROM 7/94 TO 8/04	DIN	4A
PRO STAR, ALL	DIN	ISO-DIN
<b>MACK</b>		
COE MODEL MH	DIN	5A
R, RD, RM, DM, DMM, MR MODELS BUILT BEFORE 11/92	SHAFT	5
RD, RM, DM, DMM, MR MODELS BUILT AFTER 11/92	DIN	5A
CH & CL SERIES, VISION MODELS BUILT BETWEEN 11/92 AND 11/03	DIN	5A
ALL MODELS BUILT AFTER 11/03	DIN	ISO-DIN
<b>VOLVO/WHITE GMC</b>		
VOLVO MODELS BUILT BEFORE 2/93	SHAFT	6B
VOLVO MODELS BUILT AFTER 2/93 BEFORE 11/03	DIN	6E
WHITE GMC MODELS BUILT BEFORE 9/92	SHAFT	6
WHITE GMC WI MODELS BUILT BEFORE 9/92	DIN	6A
WHITE GMC MODELS BUILT AFTER 10/93	DIN	6E
ALL MODELS BUILT AFTER 11/03	DIN	ISO-DIN
<b>FORD-STERLING</b>		
F-SERIES 1986-1997	DIN	7
FORD FOUR SPEAKER 1998-2005/ 1999-2005 STERLING	DIN	7A
1995-1998 FORD/STERLING PREMIUM SOUND	DIN	7B
STERLING 1998	DIN	7
FORD/STERLING 2005 - UP	DIN	7C
<b>WESTERN STAR</b>		
CONVENTIONAL MODELS BUILT BEFORE 12/91	SHAFT	11
CONVENTIONAL BUILT AFTER 12/91 HERITAGE CAB	DIN	11A
CONSTELLATION SERIES TRUCKS TO 6/97	DIN	11B
CONSTELLATION SERIES TRUCKS 6/97 TO PRESENT	DIN	11C
MONSOON SYSTEM	DIN	ISO-DIN

## RADIO COMPARISON CHART — Features

APTIV	AM	FM	WB	BLUETOOTH	SIRIUSXM	USB	STEERING WHEEL COMPATIBLE	CD PLAYER	BACKLIGHT COLOR
<b>DEA700</b>									
PP107198	•	•	•				PACCAR & INTERNATIONAL		GREEN
PP107199	•	•	•			•	PACCAR & INTERNATIONAL		GREEN
PP107216	•	•	•				FREIGHTLINER		AMBER
PP107222	•	•	•				MACK		BLUE
PP107228	•	•	•				VOLVO		GREENISH-WHITE
<b>DEA710</b>									
PP107200	•	•	•	•		•	PACCAR & INTERNATIONAL		GREEN
PP107217	•	•	•	•		•	FREIGHTLINER		AMBER
PP107223	•	•	•	•		•	MACK		BLUE
PP107229	•	•	•	•		•	VOLVO		GREENISH-WHITE
<b>DEA730</b>									
PP107201	•	•	•	•	•	•	PACCAR & INTERNATIONAL		GREEN / AMBER
PP107221	•	•	•	•	•	•	FREIGHTLINER		AMBER
PP107224	•	•	•	•	•	•	MACK		BLUE
PP107230	•	•	•	•	•	•	VOLVO		GREENISH-WHITE
ProAudio	AM	FM	WB	BLUETOOTH	SIRIUSXM	USB	STEERING WHEEL COMPATIBLE	CD PLAYER	BACKLIGHT COLOR
PP107233	•	•				•		•	
PP107234	•	•		•		•		•	

### ProAudio



Part No. PP107233



Part No. PP107234

### APTIV



Part No. PP107198



Part No. PP107200



Part No. PP107199



Part No. PP107201

#### NOTE:

For older model single-din radios (Alpine, Delphi, or Panasonic), please contact Customer Service for information on harness connector pin-out.

## RADIO COMPARISON CHART — Bundles

APTIV	BUNDLE PART NO.	MICROPHONE	SATELLITE ANTENNA
<b>DEA700</b>			
PP107198	N/A		
PP107199	N/A		
PP107216	N/A		
PP107222	N/A		
PP107228	N/A		
<b>DEA710</b>			
PP107200	PP807215	•	
PP107217	N/A	SOLD SEPARATELY	
PP107223	N/A	SOLD SEPARATELY	
PP107229	N/A	SOLD SEPARATELY	
<b>DEA730</b>			
PP107201	PP807216	•	SOLD SEPARATELY
	PP807155	•	•
PP107221	PP807159	•	•
PP107224	PP807160	•	•
PP107230	PP807162	•	•
ProAudio	BUNDLE PART NO.	MICROPHONE	SATELLITE ANTENNA
PP107233	N/A		
PP107234	N/A	Included	

**FREIGHTLINER**

Part No. PP107216

**MACK**

Part No. PP107222

**VOLVO**

Part No. PP107228



Part No. PP107217



Part No. PP107223



Part No. PP107229



Part No. PP107221



Part No. PP107224



Part No. PP107230

**NOTE:**

For older model single-din radios (Alpine, Delphi, or Panasonic), please contact Customer Service for information on harness connector pin-out.

## CB RADIO COMPARISON CHART — COBRA

	19MINIAMFM	CCBP25LT01	CCBP29LT01	CCBP29LTCH	CCBP29LTNW
<b>FEATURES</b>					
<b>NEW</b> Dual-Mode AM / FM	•	•	•	•	•
Power Output	4W	4W	4W	4W	4W
40 CB Channels	•	•	•	•	•
Instant Channel 9	•	•	•	•	•
Instant Channel 19	•				•
PA Capability		•	•	•	•
RF Gain	•	•	•	•	•
Squelch	•	•	•	•	•
S/RF Meter		•	•	•	•
Switchable Noise Blanker		•	•	•	•
SWR Calibration			•	•	•
Antenna Warning Light			•	•	•
Chrome Chassis / Microphone				•	
Talkback Feature					•
NightWatch Illuminated Panel					•
<b>Dimensions:</b> Width	4.09"	6.69"	7.25"	7.25"	7.25"
Height	0.98"	2.19"	2.25"	2.25"	2.25"
Depth	4.37"	9.98"	9.25"	9.25"	9.25"

## CB RADIO COMPARISON CHART — UNIDEN

	BEARCAT880	BEARCAT980	CMX760	PC68LTX	PC78LTX	PRO510XL	PRO520XL
<b>FEATURES</b>							
Illuminated Panel	•	•					
Single Sideband		•					
Power Output	4W	4W	4W	4W	4W	4W	4W
NOAA Weatherband Channels	7	7	7				
Emergency Weather Alert	•	•	•				
Front-Mounted Microphone	•	•	•	•	•	•	•
S/RF Meter	•	•	•	•	•	•	•
SWR Meter	•	•			•		
Switchable Noise Blanker	•			•	•		
Automatic Noise Limiter	•	•	•	•	•	•	•
RF Gain	•	•		•	•		•
SWR Calibration	•	•			•		
Dynamike / Mic Gain Control				•	•		
Instant Channel 9	•	•	•	•	•		•
Instant Channel 19	•	•	•	•	•		
PA Capability		•					•
Brightness / Dimmer Control	•	•	•				
Last Channel Memory	•	•					
Channel Scan	•	•	•				
Antenna Warning Light		•			•		
<b>Indicator LED's: TX</b>		•	•	•	•	•	•
RX		•	•	•	•		
WX							
<b>Dimensions:</b> Width	7.25"	7.25"	4"	6.3"	7.28"	4.5"	4.5"
Height	2.25"	2.25"	0.97"	2.2"	2.20"	1.375"	1.375"
Depth	7.5"	7.5"	3.86"	6.4"	7.80"	6.75"	6.75"

## **Customer Service | Warranty | Engineering**

838 N. Laverne Avenue, Fresno, CA 93727



### **CUSTOMER SERVICE**

Phone: 800.726.2636  
Fax: 559.266.1368



### **WARRANTY SERVICE**

Phone: 800.848.6560  
Fax: 559.499.1891



### **TECHNICAL SUPPORT**

Phone: 866.253.7027



### **TELEMATICS SUPPORT**

Phone: 877.244.4516



[www.panapacific.com](http://www.panapacific.com)

All products, product manufacturers, product appearance or design, descriptions, features, and part numbers contained within this catalog are subject to change without prior notice.

Please contact your Pana-Pacific Sales Representative for information on products that do not appear in this catalog.